

高橋 俊二



＜学歴＞

- 平成4年3月 千葉大学園芸学部農芸化学科 卒業
平成6年3月 千葉大学園芸学研究科農芸化学 修士課程修了
平成9年3月 千葉大学大学院自然科学研究科 博士課程修
理学博士取得

＜職歴＞

- 平成9年4月～平成10年9月
東京大学分子細胞生物学研究所 生理活性物質研究分野
日本学術振興会研究員
- 平成10年10月～平成14年4月
千葉大学大学院医学研究院 助手
- 平成14年5月～平成17年5月
University of Kentucky, Agronomy Department 博士研究員
- 平成17年6月～平成19年3月
理化学研究所中央研究所 長田抗生物質研究室 協力研究員
- 平成19年4月～平成20年3月
理化学研究所中央研究所 長田抗生物質研究室 専任研究員
- 平成20年4月～平成21年9月
理化学研究所基幹研究所ケミカルバイオロジー研究領域
ケミカルバイオロジー研究基盤施設
化合物バンク技術開発研究チーム 専任研究員
- 平成21年10月～平成23年8月
理化学研究所基幹研究所ケミカルバイオロジー研究領域
ケミカルバイオロジー研究基盤施設
化学情報・化合物創製チーム 専任研究員
- 平成23年9月～平成25年3月
同 化学情報・化合物創製チーム チームヘッド
- 平成24年4月～ 東京電機大学 客員教授
- 平成25年4月～ 理化学研究所 環境資源科学研究センター
天然物合成研究ユニット・ユニットリーダー
- 平成25年4月～ 理化学研究所 グローバル研究クラスタ
理研-KRIBB 連携研究ユニット・ユニットリーダー

平成27年4月～ 東京大学生物生産工学研究センター 准教授
平成29年3月～ 理化学研究所 環境資源科学研究センター
理研-KRIBB 連携研究ユニット・ユニットリーダー

<所属学会など>

日本放線菌学会

日本農芸化学会

日本生化学会

<受賞歴>

2011年度日本放線菌学会大会ポスター賞

「多様な2-アルキルマロニル-CoA 生合成機構の解析」

第11回 農芸化学研究企画賞 JSBBA Innovative Research Program Award (2014-2015)

2015年度 日本農芸化学会大会 トピックス賞

「テロメスタチン生合成遺伝子クラスターの異種発現」

2016年度 The 8th Korea-Japan Chemical Biology Symposium "poster award"

2016 長瀬研究振興賞

<原著論文>

- 1) Takahashi S., Yoshida Y. and Tamura G. Purification and characterization of ferredoxin-sulfite reductase from leek (*Allium tuberosum*) leaves. *J. Plant Res.*, 109: 45-52, 1996.
- 2) Takahashi S., Sakata T. and Tamura G. Ferredoxin-sulfite reductase from turnip roots. *Biosci. Biotech. Biochem.*, 60: 142-144, 1996.
- 3) Takahashi S., Yip W.-C., Matsugami T. and Tamura G. Effect of sulfur and nitrogen nutrition on derepression ferredoxin-sulfite reductase in leek seedlings. *J. Plant Res.*, 109: 363-368, 1996.
- 4) Takahashi S., Yip W.-C. and Tamura G. Purification and characterization of ferredoxin-sulfite reductase from turnip leaves and comparison of properties with ferredoxin-sulfite reductase from turnip roots. *Biosci. Biotech. Biochem.*, 61: 1486-1490, 1997.
- 5) Takahashi S., Kuzuyama T., Watanabe H. and Seto H. A novel 1-deoxy-D-xylulose 5-phosphate reductoisomerase catalyzing the formation of 2-C-methyl-D-erythritol 4-phosphate in an alternative non-mevalonate pathway for terpenoid biosynthesis. *Proc. Natl. Acad. Sci. U.S.A.*, 95: 9879-9884, 1998.
- 6) Kuzuyama T., * Takahashi S., * Watanabe H. and Seto H. Direct formation of 2-C-methyl-D-erythritol 4-phosphate from 1-deoxy-D-xylulose 5-phosphate by

- 1-deoxy-D-xylulose 5-phosphate reductoisomerase, a new enzyme in the non-mevalonate pathway to isopentenyl diphosphate. *Tetrahedron lett.*, 39: 4509-4512, 1998. *Equal Contribution.
- 7) Kuzuyama T., Shimizu T., Takahashi S. and Seto H. Fosmidomycin, a specific inhibitor of 1-deoxy-D-xylulose 5-phosphate reductoisomerase in the nonmevalonate pathway for terpenoid biosynthesis. *Tetrahedron lett.*, 39: 7913-7916, 1998.
- 8) Orihara N., Kuzuyama T., Takahashi S., Furihata K. and Seto H. Studies on the biosynthesis of terpenoid compounds produced by Actinomycetes. 3. Biosynthesis of the terpenoid side chain of Novobiocin via the non-mevalonate pathway in *Streptomyces niveus*. *J. Antibiot.*, 51: 676-678, 1998.
- 9) Kuzuyama T., Takahashi S. and Seto H. Construction and characterization of *Escherichia coli* disruptants defective in the *yaeM* gene. *Biosci. Biotech. Biochem.*, 63: 776-778, 1999.
- 10) Takahashi S., Kuzuyama T. and Seto H. Purification, characterization, and cloning of a eubacterial 3-hydroxy-3-methylglutaryl coenzyme A reductase, a key enzyme involved in biosynthesis of terpenoids. *J. Bacteriol.*, 181: 1256-1263, 1999.
- 11) Wang X.L., Kita K., Takahashi S., Hasagawa R., Chi X.J., Yamamori H., Nakajima N., Yokoe H., Tanzawa H. and Suzuki N. Protease activity induced by nicotine in human cells. *Int. J. Mol. Med.*, 4: 537-540, 1999.
- 12) Kita K., Wu Y.-P., Sugaya S., Tetsuhiro M., Nomura J., Takahashi S., Yamamori H., Nakajima N. and Suzuki N. Search for UV-responsive genes in human cells by differential mRNA display: Involvement of human ras-related GTP-binding protein, Revb, in UV susceptibility. *Biochem. Biophys. Res. Commun.*, 274: 859-864, 2000.
- 13) Takahashi S., Chi X.-J., Nomura J., Sugaya S., Kita K. and Suzuki N. A novel method to analyze environmental chemical mutagens in human cell systems. *Wat. Sci. Tech.*, 42: 133-138, 2000.
- 14) Kuzuyama T., * Takahashi S., * Takagi M. and Seto H. Characterization of 1-deoxy-D-xylulose 5-phosphate reductoisomerase, an enzyme involved in isopentenyl diphosphate biosynthesis, and identification of its catalytic amino acid residues. *J. Biol. Chem.*, 275: 19928-19932, 2000. *Equal Contribution
- 15) Dairi T., Motohira Y., Kuzuyama T., Takahashi S., Itoh N. and Seto H. Cloning of the gene encoding 3-hydroxy-3-methylglutaryl coenzyme A reductase from terpenoid antibiotic-producing *Streptomyces* strains. *Mol. Gen. Genet.*, 262: 957-964, 2000.
- 16) Takagi M., Kuzuyama T., Takahashi S. and Seto H. A Gene Cluster for the Mevalonate Pathway from *Streptomyces* sp. Strain CL190. *J. Bacteriol.*, 182: 4153-4157, 2000.
- 17) Kuzuyama T., Takagi M., Takahashi S. and Seto H. Cloning and characterization of 1-deoxy-D-xylulose 5-phosphate synthase from *Streptomyces* sp. Strain CL190, which uses both the mevalonate and nonmevalonate pathways for isopentenyl diphosphate biosynthesis. *J. Bacteriol.*, 182: 891-897, 2000.

- 18) Nomura J., Arase Y., Sugita T., Sugaya S., Takahashi S., Kita K., Yamamori H., Sekiya S. and Suzuki N. Increased and decreased expression of CD69 and CD23, respectively, in gravity-stressed lymphocytes. *Aviat. Space Environ. Med.*, 72: 727-732, 2001.
- 19) Takahashi S., Chi X.-J., Yamaguchi Y., Suzuki H., Sugaya S., Kita K., Hiroshima K., Yamamori H., Ichinose M. and Suzuki N. Mutagenicity of bisphenol A and its suppression by interferon- α in human RSa cells. *Mutat. Res.*, 490: 199-207, 2001.
- 20) Nomura J., Himeda J., Chen Z., Sugaya S., Takahashi S., Kita K., Ichinose M. and Suzuki N. Establishment and characterization of GSA-1, a human cell line highly susceptible to apoptosis after free-fall. *J. Radiat. Res.*, 43: 251-255, 2002.
- 21) Kuzuyama T., Takahashi S., Dairi T. and Seto H. Detection of the mevalonate pathway in *Streptomyces* species using the 3-hydroxy-3-methylglutaryl coenzyme A reductase gene. *J Antibiot.*, 55: 919-923, 2002.
- 22) Takahashi S., Zhang H.C., Hasegawa R., Karata K., Kita K., Wano C., Yamaguchi Y., Sugaya S., Nomura J., Ichinose M and Suzuki N. Increased levels of UV-induced protease activity in human UVAP-1 cells exposed to gravity-changing stress: involvement of E-64-sensitive proteases in suppression of UV mutagenicity. *Cell Biol. Int.*, 27: 53-60, 2003.
- 23) Kita K., Sugaya S., Zhai L., Wu Y.P., Wano C. Chigira S., Nomura J., Takahashi S., Ichinose M. and Suzuki N. Involvement of LEU13 in interferon-induced refractoriness of human RSa cells to cell killing by X rays. *Radiat. Res.*, 160: 302-308, 2003.
- 24) Greenhagen B.T., Griggs P., Takahashi S., Ralston L. and Chappell J. Probing sesquiterpene hydroxylase activities in a coupled assay with terpene synthases. *Arch. Biochem. Biophys.* 409:385-394, 2003.
- 25) Wano C., * Kita K., * Takahashi S., * Sugaya S., Hino M., Hosoya H. and Suzuki N. Protective role of HSP27 against UVC-induced cell death in human cells. *Exp. Cell Res.* 298: 584-92 (2004). *Equal Contribution
- 26) Oki T., Takahashi S., Kuwabara S., Yoshiyama Y., Mori M., Hattori T. and Suzuki N. Increased ability of peripheral blood lymphocytes to degrade laminin in multiple sclerosis. *J. Neurol. Sci.* 222: 7-11, 2004.
- 27) Yamaguchi Y., Yamada K., Suzuki T., Wu Y.P., Kita K., Takahashi S., Ichinose M. and Suzuki N. Induction of uPA release in human peripheral blood lymphocytes by [Deamino-Cysl, D-Arg8]-vasopressin (dDAVP). *Am. J. Physiol. Endocrinol. Metab.* 287: 970-976, 2004.
- 28) Zhao Y., Schenk D.J., Takahashi S., Chappell J. and Coates R.M. Eremophilane sesquiterpenes from capsidiol. *J. Org. Chem.* 69: 7428-7435, 2004.
- 29) Zhang H.C., Karata K., Matsushita K., Takahashi S., Tong X.B., Lu J., Zhu C.L., Sugaya S., Suzuki T. and Suzuki N. Leupeptin-sensitive proteases involved in cell survival after X-ray irradiation in human RSa cells. *Cell Biol. Int.* 29: 662-668, 2005.

- 30) Kubota H., Suzuki T., Lu J., Takahashi S., Sugita K., Sekiya S. and Suzuki N. Increased expression of GRP94 protein is associated with decreased sensitivity to X-rays in cervical cancer cell lines. *Int. J. Radiat. Biol.* 81:701-709, 2005.
- 31) Wu S.Q., Schoenbeck M.A., Greenhagen B.T., Takahashi S., Coates R.M. and Chappell J. Surrogate splicing for functional analysis of sesquiterpene synthase genes. *Plant Physiol.* 138 (3):1322-1333, 2005
- 32) Takahashi S., Zhao Y., O' Maille P.E., Greenhagen B.T., Noel J.P., Coates R.M. and Chappell J. Kinetic and molecular analysis of 5-epi-aristolochene-1,3-dihydroxylase, a cytochrome P450 enzyme catalyzing successive hydroxylation of sesquiterpene. *J. Biol. Chem.* 280 (5): 3686-3696, 2005
- 33) Takahashi S., * Yeo Y.S., Greenhagen B.T., McMullin T., Song L., Maurina- Brunker J, Rosson R., Noel J. and Chappell J. Metabolic engineering of sesquiterpene metabolism in yeast. *Biotech. Bioeng.* 97 (1), 170-181, 2007. *Corresponding
- 34) Takahashi S., Yeo Y.S., Zhao Y., O'maille P.E., Greenhagen B.T., Noel J.P., Coates R.M., Chappell J. Functional characterization of premnaspirodiene oxygenase, a cytochrome P450 catalyzing regio- and stereo-specific hydroxylations of diverse sesquiterpene substrates. *J. Biol. Chem.* 282 (43): 31744-31754, 2007.
- 35) Kato N, Suzuki H, Takagi H, Asami Y, Kakeya H, Uramoto M, Usui T, Takahashi S., Sugimoto Y and Osada H. Identification of cytochrome P450s required for fumitremorgin biosynthesis in *Aspergillus fumigatus*. *Chembiochem.* 10(5): 920-928, 2009.
- 36) Hashimoto M., Higuchi Y., Takahashi S., Osada H., Sakaki T., Toyomasu T., Sassa T., Kato N. and Dairi T. Functional analyses of cytochrome P450 genes responsible for the early steps of brassicicene C biosynthesis. *Bioorg. Med. Chem. Lett.* 19(19): 5640-5643, 2009.
- 37) Rydén A.M., Ruyter-Spira C., Litjens R., Takahashi S., Quax W., Osada H., Bouwmeester H., Kayser O. Molecular cloning and characterization of a broad substrate terpenoid oxidoreductase from *Artemisia annua*. *Plant Cell Physiol.* 51(7): 1219-1228, 2010.
- 38) Nogawa T., Okano A., Takahashi S., Uramoto M., Konno H., Saito T., and Osada H. Verticilactam, a New Macrolactam isolated from a microbial metabolite fraction library. *Org. Lett.* 12 (20): 4564-4567, 2010.
- 39) Takahashi S., Takagi H., Toyoda A., Uramoto M., Nogawa T., Ueki M., Sakaki Y. and Osada H. Biochemical characterization of a novel indole prenyltransferase from *Streptomyces* sp. SN-593. *J. Bacteriol.* 192(11): 2839-2851, 2010.
- 40) Kato N, Suzuki H, Takagi H, Uramoto M, Takahashi S., and Osada H. Gene disruption and biochemical characterization of verruculogen synthase of *Aspergillus fumigatus*. *Chembiochem.* 12(5): 711-714, 2011.
- 41) Kato N., Tokuoka M., Shinohara Y., Kawatani M., Uramoto M., Seshime Y., Fujii I., Kitamoto K., Takahashi S., Koyama Y., and Osada H. Genetic safeguard against

- mycotoxin cyclopiazonic acid production in *Aspergillus oryzae*. *Chembiochem*. 12(9): 1376-1382, 2011.
- 42) Suzuki H, Takahashi S, Osada H, and Yoshida K. Improvement of transformation efficiency by strategic circumvention of restriction barriers in *Streptomyces griseus*. *J. Microbiol. Biotechnol.* 21(7): 675-678, 2011.
- 43) Panthee S, Takahashi S, Takagi H, Nogawa T, Oowada E, Uramoto M, and Osada H. Furaquinocins I and J: Novel polyketide isoprenoid hybrid compounds from *Streptomyces reveromyceticus* SN-593. *J. Antibiot.*, 64(7): 509-513, 2011.
- 44) Takahashi S, Toyoda A, Sekiyama Y, Takagi H, Nogawa T, Uramoto M, Suzuki R, Koshino H, Kumano T, Panthee S, Dairi T, Ishikawa J, Ikeda H, Sakaki Y, and Osada H. Reveromycin A biosynthesis uses RevG and RevJ for stereospecific spiroacetal formation. *Nat. Chem. Biol.* 7: 461-468, 2011.
- 45) Takayama H, Takahashi S, Osada H, Iwabuchi Y, and Kanoh N. Detection of cytochrome P450 substrates using small-molecule droplet array on NADH-immobilized solid surface. *Chembiochem*. 12(18): 2748-2752, 2011.
- 46) Nogawa T., Takahashi S, Okano A., Kawatani M., Uramoto M., Saito T., and Osada H. Spirotoamides A and B, novel 6,6-spiroacetal polyketides isolated from a microbial metabolite fraction library. *J. Antibiot.*, 65(3):123-128, 2012. doi:10.1038/ja.2011.121
- 47) Nogawa T., * Takahashi S., * Sekiyama Y., Takagi H., Uramoto M., Koshino H., Kawatani M., Shimizu T., Osada H. Creation of novel reveromycin derivatives by alcohol-added fermentation. *J. Antibiot.* 66: 247-250, 2013. doi: 10.1038/ja.2012.115. *Equal Contribution
- 48) Kato N., Suzuki H., Okumura H., Takahashi S., and Osada H. A point mutation in *ftrD* blocks the fumitremorgin biosynthetic pathway in *Aspergillus fumigatus* strain Af293. *Biosci. Biotech. Biochem.* 77(5): 1061-1067, 2013. doi: 10.1271/bbb.130026
- 49) Nogawa T., Kawatani M., Uramoto M., Okano A., Aono H., Futamura Y., Koshino H., Takahashi S., and Osada H. Pyrrolizilactone, a new pyrrolizidinone metabolite produced by a fungus. *J. Antibiot.* 66: 621-623, 2013. doi:10.1038/ja.2013.55
- 50) Lim C. L., Nogawa T., Uramoto M., Okano A., Hongo Y., Nakamura T., Koshino H., Takahashi S., Ibrahim D., and Osada H. RK-1355A and B, Novel Quinomycin Derivatives Isolated from a Microbial Metabolites Fraction Library Based on NPPlot Screening. *J. Antibiot.* 67(4): 323–329, 2014. doi:10.1038/ja.2013.144
- 51) Aizawa T., Kim S.-Y., Takahashi S., Koshita M., Futamura Y., Osada H., and Funa N. Alkyldihydropyrone, a new polyketide synthesized by type III polyketide synthase from *Streptomyces reveromyceticus*. *J. Antibiot.* 67: 819-823, 2014. doi: 10.1038/ja.2014.80.
- 52) Takahashi S. *, Nagano S., Nogawa T., Kanoh N., Uramoto M., Kawatani M., Shimizu T., Miyazawa T., Shiro Y., and Osada H. Structure-function analyses of cytochrome P450revI involved in reveromycin A biosynthesis and evaluation of the biological activity of its substrate,

- reveromycin T. *J. Biol. Chem.* 289: 32446-32458, 2014. *Corresponding author
doi:10.1074/jbc.M114.598391
- 53) Jang J.-P., Nogawa T., Uramoto M., Okano A., Futamura Y., Shimizu T., Takahashi S., Jang J.-H., Ahn J.-S., and Osada H. RK-270A-C, New Oxindole Derivatives Isolated from a Microbial Metabolites Fraction Library of Streptomyces sp. RK85-270. *J. Antibiot.* 68(4): 293-295, 2015. doi: 10.1038/ja.2014.141.
- 54) Kato N., Nogawa T., Hirota H., Jang J.-H., Takahashi S., Ahn J.S., Osada H. A new enzyme involved in the control of the stereochemistry in the decalin formation during equisetin biosynthesis. *Biochem. Biophys. Res. Commun.* 460(2): 210-215, 2015. doi: 10.1016/j.bbrc.2015.03.011.
- 55) Miyazawa T., Takahashi S. *, Kawata A., Panthee S., Hayashi T., Shimizu T., Nogawa T., and Osada H. Identification of middle chain fatty acyl-CoA ligase responsible for the biosynthesis of 2-alkylmalonyl-CoAs for polyketide extender unit
*Corresponding author, *J. Biol. Chem.* 290(45): 26994-27011, 2015
doi: 10.1074/jbc.M115.677195.
- 56) Kim JW, Ko S-K, Son S, Shin K-S, Ryoo I-J, Hong Y-S, Oh H, Hwang BY, Hirota H., Takahashi S., Kim BY, Osada H, Jang J-H, Ahn JS Haenamindole, an unusual diketopiperazine derivative from a marine-derived *Penicillium* sp. KCB12F005. *Bioorg. Med. Chem. Lett.* 25(22): 5398-5401, 2015. doi: 10.1016/j.bmcl.2015.09.026.
- 57) Lim C.L., Nogawa T., Okano A., Futamura Y., Kawatani M., Takahashi S., Ibrahim D. and Osada H. Unantimycin A, a new neoantimycin analog isolated from a microbial metabolite fraction library. *J. Antibiot.* 69(6) :456-458, 2015. doi: 10.1038/ja.2015.124.
- 58) Son S., Ko S.-K., Kim J.-W., Lee J.K., Jang M., Hwang G.J., Kwon M.C., Ryoo I.-J., Shin K.-S., Futamura Y., Hong Y.-S., Oh H., Kim B.Y., Ueki M., Takahashi S., Osada H., Jang J.-H., Ahn J.S. Structures and biological activities of azaphilones produced by *Penicillium* sp. KCB11A109 from a ginseng field. *Phytochemistry.* 122: 154-64, 2016
- 59) Son S., Ko S.K., Jang M., Kim J.W., Kim G.S., Lee J.K., Jeon E.S., Futamura Y., Ryoo I.J., Lee J.S., Oh H., Hong Y.S., Kim B.Y., Takahashi S., Osada H., Jang J.H., Ahn J.S. New Cyclic Lipopeptides of the Iturin Class Produced by Saltern-Derived *Bacillus* sp. KCB14S006. *Mar Drugs.* 14: 72, 2016. doi: 10.3390/md14040072.
- 60) Ray L., Valentic T., Miyazawa T., Withall D.M., Song L., Milligan J.C., Osada H., Takahashi S., Tsai S.-C., and Challis G.L. A crotonyl-CoA reductase-carboxylase independent pathway for assembly of unusual alkylmalonyl-CoA polyketide synthase extender units. *Nat. Commun.* 7:13609. 2016. DOI: 10.1038/ncomms13609
- 61) Shinohara Y., Takahashi S., Osada H., and Koyama Y. Identification of a novel sesquiterpene biosynthetic machinery involved in astellolide biosynthesis. *Sci. Rep.* 6: article number 32865, 2016. doi: 10.1038/srep32865.
- 62) Kim J., Ko S.-K., Kim H.-M., Kim Gun H., Son S., Kim G.S., Hwang G.J., Jeon E.S., Shin

- K.-S., Ryoo I.-J., Hong Y.-S., Oh H., Lee K.H., Soung N.K., Hashizume D., Takahashi S., Kim B.Y., Osada H. Jang J-H., Ahn J.S. Stachybotrysin, an osteoclast differentiation inhibitor from a marine-derived fungus *Stachybotrys* sp. KCB13F013. *J. Nat. Prod.*, 79, 2703-2708, 2016.
doi: 10.1021/acs.jnatprod.6b00641
- 63) Jang J-P., Takahashi S. , Futamura Y., Nogawa T., Jang J-H., Ahn J.S., and Osada H. RK-1441, a new benadrostin derivative produced by *Streptomyces* sp. RK88-1441. *J. Antibiot.* 70, 102-104, 2017. doi: 10.1038/ja.2016.65.
- 64) Nogawa T., Okano A., Lim C.L., Futamura Y., Shimizu T., Takahashi S., Ibrahim D., Osada H. Opantimycin A, a new metabolite isolated from *Streptomyces* sp. RK88-1355. *J. Antibiot.* 70, 222-225, 2017. doi: 10.1038/ja.2016.113.
- 65) Jang J.-P, Nogawa T., Futamura Y., Shimizu T., Hashizume D., Takahashi S., Jang J.-H., Ahn J.S., and Osada H. Octaminomycins A and B, cyclic octadepsipeptides active against *Plasmodium falciparum*. *J. Nat. Prod.*, 80(1): 134-140, 2017.
doi: 10.1021/acs.jnatprod.6b00758
- 66) Zhang L., Hashimoto T., Qin B., Hashimoto J., Kozone I., Kawahara T., Okada M., Awakawa, T, Ito T., Asakawa Y., Ueki M., Takahashi S., Osada H., Wakimoto T., Ikeda H., Shin-ya K., Abe I. Characterization of giant modular PKSs provides insight into genetic mechanism for structural diversification of aminopolyol polyketides. *Angew. Chem. Int. Ed.*, 56 (7): 1740-1745, 2017. doi: 10.1002/anie.201611371
- 67) Amagai K., Ikeda H., Hashimoto J., Kozone I., Izumikawa M., Kudo F., Eguchi T., Nakamura T., Osada H., Takahashi S.*, and Shin-ya K.* Identification of gene cluster for telomestatin biosynthesis and efficient production in heterologous host using specific promoter. *Sci. Rep.* 7: 3382, 2017. doi:10.1038/s41598-017-03308-5 *Corresponding
- 68) Otagiri M., Khalid A., Moriya S., Osada H., and Takahashi S.* Novel squalene-producing thraustochytrids found in mangrove water. *Biosci Biotechnol Biochem.* 81(10): 2034-2037, 2017. doi: 10.1080/09168451.2017.1359485
- 69) Nogawa T., Kato N., Shimizu T., Okano A., Futamura Y., Takahashi S., and Osada H. Wakodecalines A and B, new decaline metabolites isolated from a fungus *Pyrenophaetopsis* sp. RK10-F058. *J. Antibiot.* 71: 123-128, 2017. doi: 10.1038/ja.2017.103.
- 70) Khalid A., Takagi H., Panthee S., Muroi M, Chappell J., Osada H., and Takahashi S.* Development of a terpenoid-production platform in *Streptomyces reveromyceticus* SN-593. *ACS Synth. Biol.* 6 (12): 2339-2349, 2017. doi: 10.1021/acssynbio.7b00249.
- 71) Takagi H., Nogawa T., Futamura Y., Takahashi S., and Osada H. Kinanthraquinone, a new anthraquinone carboxamide isolated from *Streptomyces reveromyceticus* SN-593-44. *J. Antibiot.* 71(4): 480-482, 2018. doi: 10.1038/s41429-017-0020-0.
- 72) Kato N., Furutani S., Otaka J., Noguchi A., Kinugasa K., Kai K., Hayashi H., Ihara, M. Takahashi S., Matsuda K., Osada H. Biosynthesis and structure-activity relationship studies

- of okaramines that target insect glutamate-gated chloride channels. *ACS Chem. Biol.*, 13 (3): 561-566, 2018. doi: 10.1021/acschembio.7b00878
- 73) Jang J.-P., Hwang G.J., Kwon M.C., Ryoo I.-J., Jang M., Takahashi S., Ko S.K., Osada H., , Jang J.H., and Ahn J.S. Pentaminomycins A and B, Hydroxyarginine-Containing Cyclic Pentapeptides from *Streptomyces* sp. RK88-1441. *J. Nat. Prod.*, 81 (4), 806-810, 2018. DOI: 10.1021/acs.jnatprod.7b00882
- 74) Jang J.-P., Hwang G.J., Jang M., Takahashi S., Ko S.K., Osada H., Jang J.H., and Ahn J.S. Aturanosides A and B, Glycosylated Anthraquinones with Antiangiogenic Activity from a Soil-Derived Streptomyces Species. *J. Nat. Prod.*, 81(9), 2004-2009, 2018. doi: 10.1021/acs.jnatprod.8b00307.
- 75) Kato N., Nogawa T., Takita R., Kinugasa K., Kanai M., Uchiyama M., Osada H., and Takahashi S.. Control of the stereochemical course of [4+2] cycloaddition during trans-decalin formation by Fsa2-family enzymes. *Angew. Chem. Int. Ed.*, 57, 1-6, 2018. doi: 10.1002/anie.201805050.
- 76) Son S., Hong Y.S., Futamura Y., Jang M., Lee J.K., Heo K.T., Ko S.K., Lee J.S., Takahashi S., Osada H., Jang J.H., Ahn J.S. Catenulisporolides, Glycosylated Triene Macrolides from the Chemically Underexploited Actinomycete Catenulispora Species. *Org Lett.* 20, 7234-38, 2018. doi:10.1021/acs.orglett.8b03160.
- 77) Hashimoto T., Hashimoto J., Kozone I., Amagai K., Kawahara T., Takahashi S., Ikeda H., Shin-ya K. Biosynthesis of quinolidomycin, the largest known macrolide of terrestrial origin: Identification and heterologous expression of a biosynthetic gene cluster over 200 kb. *Org. Lett.* In press. doi: 10.1021/acs.orglett.8b03570.

＜総説・著書＞

- 1) 高橋 俊二、田村 五郎
進展する硫酸同化に関わる酵素群の解明
化学と生物 Vol.34, No.12, p.782-783, 1996.
- 2) 喜多 和子、野村 純、高橋 俊二、菅谷 茂、鈴木 信夫
自由落下による微小重力環境を利用したヒト細胞の変異誘導調節機能に関する研究
日本マイクログラビティ応用学会誌 Vol. 18 No. 3, p.180-184, 2001.
- 3) 加藤 直樹、高橋 俊二、植木 雅志、長田 裕之
微生物由来の天然化合物と生合成研究 蛋白質核酸酵素 Vol.52 (13), p.1724-1729, 2007.
- 4) Kuzuyama T., Hemmi H. and Takahashi S.
In *Comprehensive Natural Products II Chemistry and Biology*; Mander, L., Lui, H.-W, Eds.; Elsevier: Oxford, Vol. 1, pp 493-516, 2010.

- 5) 長田 裕之、高橋 俊二
抗生物質研究からケミカルバイオロジー研究へ
科学工業 Vol.62 (8), p.8[588]-13[593], 2011.
- 6) Shunji Takahashi, Hiroyuki Osada
Highlight of the month, Biology: Journey of many steps.
RIKEN Research Vol 6, Number 9, p.2-3, 2011.
- 7) 高橋 俊二、長田 裕之
リベロマイシン生合成におけるスピロアセタール環化酵素の発見
バイオサイエンスとインダストリー Vol. 69 (6): 486-487, 2011.
- 8) 高橋 俊二
微生物の英知を生かす 生物工学会誌 Vol. 90 (2): 95, 2012.
- 9) Naoki Kato, Shunji Takahashi, Toshihiko Nogawa, Tamio Saito, and Hiroyuki Osada
Construction of a microbial natural product library for chemical biology studies
Curr. Opin. Chem. Biol. 16: 101-108, 2012. DOI 10.1016/j.cbpa.2012.02.016
- 10) 高橋 俊二、長田 裕之
リベロマイシン A 生合成に関わる未知酵素の解明
化学と生物 Vol.51, No.3, p.138-140, 2013.
- 11) Tilman Schneider-Poetsch, Shunji Takahashi, Jae-Hyuk Jang, Jong Seog Ahn, and Hiroyuki Osada. Meeting report of the 8th Korea-Japan Chemical Biology Symposium
- Chemical Biology Notes from a small island-
J Antibiot. 2016 69(12): 885-888, 2016. doi: 10.1038/ja.2016.58.
- 12) 宮澤岳、高橋 俊二、長田 裕之
ポリケチド化合物の生合成に関与する新規カルボキシル化酵素
バイオサイエンスとインダストリー Vol. 75 (4): 315-317, 2017.